



# Battery Heating Pads




Battery heater not recommended for nickel cadmium batteries. When batteries are placed in an insulated battery box, a thermostat is recommended to sense battery box temperature to prevent overheating the battery.

## Standard Pad for Single Battery




## Special Pads for Multiple Batteries



Model Number	Volts	Watts	Amps	Nominal Dimensions		Battery Size	Style
				A	B		
KB5015	120	50	.42	13 (33cm)	8.25 (2.5cm)	4D	A
KB5015-S	120	50	.42	13 (33cm)	8.25 (2.5cm)	4D	B
KB5015-D	120	50	.42	13 (33cm)	8.25 (2.5cm)	4D	C
KB7515	120	75	.63	19.5 (49.5cm)	10.5 (26.7cm)	8D	A
KB7515-S	120	75	.63	19.5 (49.5cm)	10.5 (26.7cm)	8D	B
KB7515-D	120	75	.63	19.5 (49.5cm)	10.5 (26.7cm)	8D	C
KB7523	240	75	.31	19.5 (49.5cm)	10.5 (26.7cm)	8D	A
KB7523-S	240	75	.31	19.5 (49.5cm)	10.5 (26.7cm)	8D	B
KB7523-D	240	75	.31	19.5 (49.5cm)	10.5 (26.7cm)	8D	C


## Typical Connection - 2 Batteries on Each Side of Vehicle



## Accessories For Multiple Battery Heating


### EXTENSION CORDS

Part Number	Length
BEC-2	2' (61cm)
BEC-4	4' (122cm)
BEC-6	6' (183cm)
BEC-8	8' (244cm)




### POWER SUPPLY CORDS

Part Number	Length	Volts
BPC-31	3' (91cm)	120
BPC-32	3' (91cm)	240
BPC-61	6' (183cm)	120
BPC-62	6' (183cm)	240



### THERMOSTAT & "Y" CORD ASSEMBLY

Part Number	Temperature Control	
	On	Off
BY-T68	60°F (16°C)	80°F (27°C)



### BATTERY THERMAL WRAP — NO THERMOSTAT

Model Number	Volts	Watts	Length
KBW5015-000	120	50	28" (71cm)
KBW8015-000	120	80	36" (91cm)
KBW16015-000	120	160	72" (183cm)

Prolong the life of your battery with HOTSTART thermal battery wraps with or without thermostat.

- Durable, fire-retardant vinyl cover that resists oils and acids.
- All standard battery pads and battery wraps come with 6' (183cm) grounded cord and plug.
- Fast, easy installation.
- Boosts battery cranking power as much as 75%.

### BATTERY THERMAL WRAP — WITH THERMOSTAT

Thermostat range: 65°F - 80°F (18°C - 27°C)

Model Number	Volts	Watts	Length
KBW5015T-000	120	50	26" (66cm)
KBW5024T-000	240	50	26" (66cm)
KBW8015T-000	120	80	44" (112cm)
KBW8024T-000	240	80	44" (112cm)
KBW10015T-000	120	100	56" (142cm)
KBW10024T-000	240	100	56" (142cm)

Thermostatically controlled battery thermal wraps provide optimum heating regardless of ambient temperature.

- At 80°F (27°C), the battery will achieve maximum cold cranking amps.
- Battery is constantly maintained at 80°F (27°C).
- Provides greater heat rise than plates or pads.
- Thermostat will eliminate battery damage caused by overheating and acid spill.

## Battery Thermal Wrap

